

DESIGN
NEW
VISION

WWW.LIYUPRINTER.COM



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com sales@liyuprinter.com
+90 532 5027522

Liyu International Europe Showroom:
11. Sk. No:67 Ferhat Pasa Mahallesi
34779 Dudullu/Atasehir/Istanbul
europe@liyuprinter.com



"All technical details in this catalog are subject to change by Liyu"



Q2Printer



DESIGN
NEW
VISION



Technical Specifications

Printing Heads	KM 1024i - Ricoh Gen5 - Kyocera
Printhead Quantity	16 (Max.) - 8 (Max.) - 6 (Max.)
Drop Volume	6 Pl. - 13 Pl. - 7 Pl. - 3 Pl.
Color Scale	CMYK + White + Varnish + Lc + Lm
INK Type	UV - LED
Drying System	UV Curing - LED Curing
Print Width	2050mm
Print Height	50mm
Print Resolution	2880 dpi - 1200 dpi - 2400 dpi
Printing Speed Up to	90 m ² /h
RIP Software	Photo Print - Caldera (Opt.)
Hardware	LCD Monitor
Power Requirement	230v (+/-) 10% / 40A / 50HZ / 60HZ
Machine Size	
Machine Size (With Table)	
Machine Weight	2000 kg.